Panasonic
ideas for life

DMC-FT2
Digital Camera

- LUMIX Compact Digital Camera
- Waterproof 10m, Freeze-proof -10 , Shockproof 2.0m and Dust-proof
- Silicon Jacket, Beach & Surf Mode and LED Light for Active Outdoor Fun
- Intelligent Resolution Technology and 6x Intelligent Zoom
- HD Movie in AVCHD Lite and HDMI Compatibility Featuring VIERA Link
- iA (Intelligent Auto) Mode with POWER O.I.S. (Optical Image Stabilizer)
- 28mm Wide-angle 4.6x Optical Zoom LEICA DC Lens

Compact Digital Camera FT2 - Tough Model with Water/Freeze/Shock/Dust-proof Design featureing both Still Image and HD Movie in AVCHD Lite.

Optics

Camera Effective Pixels	14.1 Megapixels
Sensor Size / Total Pixels / Filter	1/2.33-type / 14.5 Total Megapixels / Primary Color Filter
Aperture	F3.3 - 5.9/ 2-Step (F3.3 - 10 (W) / F5.9 - 18 (T))
Optical Zoom	4.6x
Focal Length	f=4.9-22.8mm (28-128mm in 35mm equiv.)
Extra Optical Zoom (EZ)	5.5x (4:3 / 10M), 6.5x (4:3 / 7M), 7.8x (4:3 / 5M), 9.8x (under 3M)
Intelligent Zoom	6x
Lens	LEICA DC VARIO-ELMAR 10 elements in 8 groups (5 Aspherical Lenses / 6 Aspherical surfaces / 1 ED Lenses)
Optical Image Stabilizer	Power O.I.S. (Off / Auto / Mode1 / Mode2)
Digital Zoom	4x (Max. 18.6 x combined with Optical Zoom without Extra Optical Zoom) (Max. 39.3 x combined with Extra Optical Zoom)
Focusing Area	Normal: Wide 30 cm - infinity / Tele 30 cm - infinity Macro / Intelligent AUTO / Clipboard : Wide 5 cm - infinity / Tele 30cm - infinity
Focus Range Display	Yes
AF Assist Lamp	Yes
Focus	Normal / Macro, Zoom Macro, Quick AF On/Off (On in Intelligent Auto), Continuous AF On/Off, AF Tracking
AF Metering	Face / AF Tracking / 11pt / 1pt HS / 1pt / Spot

Award

2010-02-05T15:19:00

DMC-FT2, Photography Blog, Recommended Award, February 2010

Panasonic
ideas for life

Shutter Speed	Starry Sky Mode : 15, 30, 60sec.
Shutter Interval	approx. 1.0 sec

Recording

ISO Sensitivity	Auto / 80 / 100 / 200 / 400 / 800 / 1600 High Sensitivity (ISO 1600-6400)
Face Recognition	Photo
Optical Image Stabilizer	Photo & Movie
Intelligent ISO Control	Photo
Face Detection	Photo & Movie
Intelligent Scene Selector	Photo (Portrait, Scenery, Night Portrait, Night Scenery, Sunset, Macro) & Movie (Portrait, Scenery, Low Light, Macro)
Intelligent Exposure	Photo & Movie
AF Tracking	Photo
Digital Red Eye Correction (Red-Eye Removal)	Photo
Intelligent Resolution Technology	Photo & Movie
File Format	Still Image: JPEG(DCF/Exif2.21) Image with Audio: JPEG (DCF / Exif2.21) + QuickTime Motion picture: AVCHD Lite / QuickTime Motion JPEG
AVCHD Lite REC	NTSC / PAL (Depends on Region)
Mode Switch	[Recording] / [Playback]
One-Touch Movie Button	Yes
Mode Dial / Mode Button	Intelligent Auto, Normal Picture, Sports, Snow, Beach & Surf, SCN, Clipboard
Still Image Scene Mode	Portrait, Soft Skin, Transform, Self-Portrait, Scenery, Panorama Assist, Sports, Night Portrait, Night Scenery, Food, Party, Candle Light Baby1, Baby2, Pet, Sunset, High sensitivity, Hi-Speed Burst, Flash Burst, Starry Sky, Fireworks, Beach, Snow, Aerial photo, Pinhole, Film Grain, High Dynamic(Standard, Art, B&W), Photo Frame, Underwater
Movie Scene Mode	Portrait, Soft Skin, Transform, Self-Portrait, Scenery, Low Light, Food, Party, Candle Light, Sunset, Aerial, Pinhole, Film Grain, Underwater, High Sensitivity, High Dynamic(Standard, Art, B&W) (Activated by selecting Still Picture Scene Mode then pressing movie button. Still Picture Scene Modes without corresponding Movie Scene Mode is recorded in Normal Mode)
Continuous Shooting Mode	Full-Resolution Image, 1.8 frames/sec Max. 5 images (Standard mode), Max 3 images (Fine Mode) High-speed Burst Mode: approx. 5.0 frames/sec (image priority) approx. 10 frames/sec (speed priority) (recorded in 3M for 4:3, 2.5M for 3:2, 2M for 16:9)
Flash Burst Continuous Shooting Mode	Max. 5 images (Standard mode)
Motion Picture Recording	[4:3] VGA: 640 x 480 pixels, 30fps (Motion JPEG) QVGA: 320 x 240 pixels, 30 fps (Motion JPEG) [16:9] WVGA: 848 x 480 pixels, 30 fps (Motion JPEG) [HD Movie] 1280x720 pixels, NTSC Mode: NTSC model: 60p(CCD output is 30p) / PAL model: 50p (CCD output is 25p)

Panasonic
ideas for life

	(AVCHD Lite, SH: 17Mbps / H:13Mbps / L:9Mbps) / 30fps (Motion JPEG)
AVCHD Lite with picture quality set to [SH] (Continuous recordable time)	Approx. 110 min
MOTION JPEG with picture quality set to [HD] (Continuous recordable time)	Approx. 110 min
AVCHD Lite with picture quality set to [SH] (Actual recordable time)	Approx. 70 min
MOTION JPEG with picture quality set to [HD] [[SH] (Actual recordable time)	Approx. 70 min
Exposure	Program AE
Exposure Compensation	1/3 EV step, +/-2 EV
Backlight Compensation	Yes (only in Intelligent AUTO mode)
Auto (AE) Bracketing	+/- 1/3 EV ~1EV step, 3 frames
Light Metering	Intelligent Multiple
Aspect Ratio	4:3 / 3:2 / 16:9
Still Picture Recording	[4:3] 4320x3240(14M) / 3648x2736(10M) / 3072x2304(7M) / 2560x1920 (5M) / 2048X1536(3M) / 640X480(0.3M) [3:2] 4320x2880 (12.5M) / 3648x2432 (9M) / 3072x2048 (6M) / 2560x1712 (4.5M) / 2048x1360 (2.5M) / 640x424 (0.3M) [16:9] 4320x2432 (10.5M) / 3648x2056 (7.5M) / 3072x1728 (5.5M) / 2560x1440 (3.5M) / 1920x1080 (2M) / 640x360 (0.2M)
Image Quality	Fine / Standard
White Balance	Auto / Daylight / Cloudy / Shade / Halogen / White Set (Selectable at Portrait, Soft Skin, Transform, Self-Portrait, Panorama Assist, Sports, Baby, Pet, High Sensitivity, Highspeed Burst, Pinhole, Photo Frame, High Dynamic)
Quick Menu	Yes
Color Mode / Color Effect	Standard, Vivid, Natural, Black & White, Sepia, Cool, Warm, Happy (only in iA Mode)
Still Image with Audio Recording	5 sec
Real-time histogram	Yes
Composition Guide line	Yes (2 pattern)
Auto Review	1sec, 2sec, Hold
Easy Zoom / Zoom Resume	No / No
Optical Zoom in Motion Picture	Yes
Macro Zoom	Yes
Orientation Detector	Yes
Scene Mode Help Screen	Yes
Self Timer	2sec / 10sec
Focus Icon Select	Yes (in Face Recognition only)

Playback

Playback Mode	Normal Playback, Slideshow, Category Playback, Mode Playback, Favorites Playback
Thumbnails / Zoomed Playback	12,30-thumbnails / Max 16x

Panasonic
ideas for life

Calendar Display / Dual-Image Playback	Yes / No
Set Favorites / Rotate Image	Yes / No
Playback Still Images with Audio	Yes
Playback Motion Picture	Yes (AVC HD Lite/ Motion JPEG)
Slideshow Mode	All / Still Images Only / Motion Picture Only / Category / Favorites BGM Effect (Natural / Slow / Swing / Urban / OFF)
Show Histogram	Yes
Show Highlights	-
Delete Image	Single / Multi / All / All except Favorites
DPOF Print Setting / Set Protection	Yes / Yes
Resize / Trim / Aspect Conv. / Leveling	Yes / Yes / No / Yes
Copy / Title Edit / Text Stamp	Yes / Yes / Yes
Cut Animation	Yes
Video Divide	Yes
PictBridge Support	Single / Multi / All / Favorites / DPOF

Setup

OSD language	Japanese, English, German, French, Italian, Spanish
Wind-Cut in Motion Picture	Yes
Travel Date / World Time	Yes / Yes

Metrics

Dimensions (W x H x D)	99.3 x 63.1 x 24.3 mm (3.91 x 2.48 x 0.96 in)
Weight	Approx. 188g with Battery and SD Memory Card (0.41 lb) Approx. 167g without Battery and SD Memory Card (0.37 lb)

Others

LCD Monitor	Field of View : approx. 100% Wide Viewing Angle AUTO Power LCD mode, Power LCD mode
Water Proof	10.0m (IEC60529 IPX8 compliant)
Dust Proof	Yes (IEC60529 IP6X compliant)
Freeze Proof	-10.0
Shock Proof	2.0m (MIL-STD810F Method 516.5-Shock compliant)
Built-in-Flash	Auto, Auto/Red-eye Reduction, Forced On, Slow Sync./Red-eye Reduction, Forced Off 0.3 - 5.1m (Wide/ISO Auto), 0.3 - 2.8m (Tele/ISO Auto)
Recording Media	Built-in Memory, SD Memory Card, SDHC Memory Card, SDXC Memory Card
Built-in-Memory	Approx. 40MB
Microphone / Speaker	Mono / Yes
Interface	AV Output (NTSC/PAL, NTSC only for N. America), mini HDMI, , USB2.0 High speed, DC Input(requires optional Multi Conversion Adapter)

Panasonic
ideas for life

Viera Link	Yes
HDMI output	Video: Auto / 1080i / 720p / 480p(576p for PAL) Audio: Dolby® Digital Creator
Power	ID-Security Li-ion Battery Pack (3.6V, Minimum: 940mAh) (Included) AC Adaptor (Input: 110-240V AC) (Optional)
Battery life (approx.)	360 pictures (CIPA Standard)
Included Software	PHOTOfunSTUDIO 5.0 HD Edition QuickTime Adobe Reader
Standard Accessories	Battery Charger, Battery Pack, Battery Case, Silicon Jacket, Brush, AV Cable, USB Cable, AC Cable, Hand Strap (with stopper), CD-ROM
NOTE	Motion pictures can be recorded continuously for up to 15 minutes in European PAL area.